

ALLEN BIAGGI, Administrator

(775) 687-4670
TDD 687-4678

Administration
Facsimile 687-5856

Water Pollution Control
Facsimile 687-4684

Mining Regulations & Reclamation
Facsimile 684-5259

State of Nevada
KENNY C. GUINN
Governor



R. Michael Turnnspeed, Director

Waste Management
Corrective Actions
Federal Facilities

Air Quality
Water Quality Planning

Facsimile 687-6396

DEPARTMENT OF CONSERVATION AND NATURAL RESOURCES
DIVISION OF ENVIRONMENTAL PROTECTION

333 W. Nye Lane, Room 138
Carson City, Nevada 89706

Public Notice of Permit Application

Nevada Division of Environmental - Chemical Accident Prevention Program

The Administrator, Division of Environmental Protection, Carson City, gives notice, under regulation adopted pursuant to NRS 456.3829, concerning the receipt of an application for a PERMIT TO CONSTRUCT a facility that will be regulated under the Chemical Accident Prevention Program for:

Univar USA, Inc.
2-1/2 Miles East of Carlin, Old Hwy 40
Carlin, Nevada 89822

This facility will be located east of Carlin, Nevada. Once in operation, Univar will be subject to the requirements of the Nevada Chemical Accident Prevention Program (CAPP) due to its operation of a hydrogen peroxide trans-loading and dilution process. Prior to commencing construction of the process, a permit to construct must be obtained by the facility from NDEP.

Through the permitting process, NDEP will ensure that Univar has:

- developed process operating procedures and trained operations personnel;
- developed programs to ensure mechanical integrity of process equipment;
- developed other programs required pursuant to CAPP, designed to minimize the potential for catastrophic accidents; and,
- fully coordinated emergency response activities with local responders and the local emergency planning committee.

The following information is available for public review:

- hazardous materials and their quantities;
- consequences of hazardous materials releases;
- overview of the process and plant operating information;

Note: This Notice is for electronic distribution.

- proposed emergency response plan;
- a site map indicating worst case release scenarios, potential off-site receptors and hazardous material transportation routes, and;
- a copy of the conditional use permit

Pursuant to regulation, the public may review and comment on the information through December 13, 2003. After consideration of public comment, NDEP shall require modifications to the facility design or programs to satisfy regulation as necessary, then issue the permit to construct.

Copies may be requested by calling (775) 687-9461, by e-mailing: <mailto:dbenson@ndep.nv.gov>, or may be reviewed at the NDEP Carson City office at 333 W Nye Lane, Carson City, NV 89706-0851.

PR# 233

Q:\...\CHEMHAZ\JM_PUB.PPR (Newspaper)